



PUMPS | METERS | REELS | FLUID MANAGEMENT | FLUID RECLAIM

EOFY MEGA-SALE

BOP20
BATTERY OPERATED PUMP

Battery Operated Pump Starter Kit 20L

BP20S-OLA

- Includes Powerhead (BP20-PH),
 Battery (BPB-20AH) & Charger (BPC-A)
- On demand flow control
- Lubricant range SAE 0W40 to 75W90
- Adaptors to suit most 20L drums
- Drum size Nominal 15-25L
- Delivery rate Up to 3.5L/min
- Battery 18V 2.0Ah Li-Ion 1hr fast charge
- Extra pump stem product code: BP20X-OLA

BOD BATTERY OPERATED PUMP

For more information on the BOP product range, please visit:

www.macnaughtbop.com.au















GREASING

THE ORIGINAL K29

\$14800

FLEXIGUN® 450g Grease Gun

- Pressures up to 10,000psi (68,900kPa)
- Flexible 300mm (12") high pressure extension hose
- KY SUPERGRIP™ 3 jaw high pressure coupler
- Maximum viscosity Up to NLGI 2
- Up to 0.68g per shot



GREASING

LOAD & LUBE SAFETY GREASE COUPLER

KY+ Safety Grease Coupler

KYPLUS-01 (BSP) | KYPLUS-02 (NPT) | KYPLUS-03 (M10X1)

- 1/8" (F) inlet (BSP and NPT models) and M10X1 (F) threads available
- Pressures up to 10,000psi (68,900kPa)
- Superior safety internal pressure relief mechanism
- Quick & easy release mechanism enabling one handed operation Load & Lube
- Compact design for greater accessibility















- Flexible Extension: 300mm (12")
- Pressures up to 7,000psi (48,300kPa)
- Output volume: 0.84g/stroke
- Cartridge: 450g (16oz)
- Suitable for greases up to NLGI 2
- No spare parts available





L-LG450

- 450g cartridge or bulk fill
- Fitted with bulk loader and air release valve
- 150mm steel extension & 4 jaw coupler • Pressures up to 69,000 kPa (10,000 psi)
- Delivers 1g per shot
- Suitable for greases up to NLGI 2
- No spare parts available



LEVERGUN® 450g Grease Gun

- Pressures up to 82,750kPa (12,000psi)
- Includes 160mm (6") rigid extension and 300mm(12"") flexible extension
 - KY SUPERGRIP™ 3 jaw high pressure coupler
 - Maximum viscosity Up to NLGI 2
 - Up to 1.5g per shot







- For mixed fleet situations of metric and imperial
- Head profile as per SAE J534/DIN 71412* (*for metric fittings only)
- Heat Treated greasing end
- Zinc plating exceeds ASTM B117
- Fittings with ball check use heat treated springs for increased life



KY Grease Coupler (10 & 50pck)

KY-10 (10pck) | KY-50 (50pck)

- Pressures up to 12,000psi
- 1/8" BSP (F) Inlet
- Easy to use, snap on and twist and pull off
- Superior jaw design to ensure maximum grip
- Robust and compact design
- Replacement seal kit available KY3S (8pck seals)





B2 Booster Gun

B2-01

- Used for high pressure delivery with any air-powered grease pump
- Increases the inlet grease pressure to over come line resistance or nipple blockages, up to 10,000psi
- 1/4" NPT(F) inlet







- 240V Charger (1 Hour charge time)
- 2 x 18 Volt 1500 mAh Ni-Cad batteries
- Develops 51,700 kPa (7,500 psi) • Delivers 50g/min free flow
- 1m high pressure flexible grease extension
- Maximum viscosity Up to NLGI 2









- 240V Charger (1 Hour charge time)
- 2 x 18 Volt Li-ion batteries
- Develops 51,700 kPa (7,500 psi)
- Delivers 50g/min free flow
- 1m high pressure flexible grease extension • Maximum viscosity - Up to NLGI 2







- Delivery pressure up to 41,400kPa (6,000psi)
- Single shot only, one shot per trigger pull • Up to 0.7g per shot
- Minimum air pressure: 275 kPa (40psi)
- Maximum air pressure: 830kPa (120psi)
- Maximum viscosity Up to NLGI 2











L-QRC (BSP) | L-QRC-02 (NPT) | L-QRC-03 (M10X1)

- Pressures up to 10,000psi (68,900kPa)
- 1/8" (F) inlet (BSP & NPT models) and M10X1 (F) threads available
- Ultralight 85g only
- Hardened 4-jaws
- Compact size: 74mm x 16mm
- Suitable for all grease gun types air operated, manual and battery powered



GREASING KITS

\$1,495⁰⁰ MAXILUBE™ 55kg Grease Kit • P6001 (50:1) Air-operated pump • Max pump output pressure: 7,500psi (51,700kPa) • Max gun output pressure: 10,000psi (68,900kPa) • Compatible with 55kg (or similar size) pails

• 4m x 6mm ID delivery hose

Output 460g/min (at pump)

• Kit includes B2-01 gun

\$1,319⁰⁰

POWERLUBE™

20kg Grease Kit

Output 460g/min (at pump)

• P3001 (50:1) Air-operated pump

• Grease viscosity up to NLGI No.2

• Max pump output pressure: 7,500psi (51,700kPa

• Max gun output pressure: 10,000psi (68,900kPa)

• Compatible with 20kg (or similar size) pails









- P8001 (50:1) Air-operated pump
- Max pump output pressure: 51,700kPa (7,500psi)
- Max gun output pressure: 68,900kPa (10,000psi)
- Compatible with 180kg pails
- Air inlet: 1/4" NPT (F)
- Pump outlet: 1/4" NPT (F)





POWERLUBE™ 20kg Greasing System

- P6001 (50:1) Air-operated pump
- Max pump output pressure: 7,500psi (51,700kPa)
- Max gun output pressure: 10,000psi (68,900kPa)
- Compatible with most 12.5-20kg pails
- 4m x 6mm ID delivery hose • Output 460g/min (at pump)
- Kit includes B2-01 gun



GREASING KITS







\$2,57900

Trolley Based 180kg Portable Greasing System

GS100-01

- P8001 (50:1) Air operated pump
- Suit 180kg grease drums
- Complete with TR205-01 trolley, 6mm x 10m RETRACTA® grease reel, P8-11 and unique follower plate with release valve and removal system
- Complete with all fittings and connecting hoses



macnaught

FUEL



L-DDP13







Mechanical **Diesel Meter**

L-FM25

- Flow range: 20 120LPM
- Nutating disc
- Inlet/Outlet: 1" BSP
- Maximum operating pressure: 49psi (3.5bar)
- 4-digit resettable totaliser
- 8-digit non-resettable totaliser
- Register can be rotated
- No spare parts available



lubemate Air Operated Diaphragm Pumps

L-DDP13 (1/2") | L-DDP19 (3/4") | L-DDP25 (1") Operating temperature range :

- 0°C (32°F) to 60°C (140°F) • Max. Air Pressure: 116psi (8bar)
- L-DDP13 Inlet/Outlet: 1/4" BSP / 1/2" BSP (F)
- L-DDP19 Inlet/Outlet: 1/4" BSP / 3/4" BSP (F)
- L-DDP25 Inlet/Outlet: 1/4" BSP / 1" BSP (F)
- L-DDP13 Flow rate: up to 45L/min
- L-DDP19 Flow rate: up to 60L/min
- L-DDP25 Flow rate: up to 90L/min
- Suitable for use with waste oil, diesel fuel, engine coolants and water
- No spare parts available

L-DDP25





Digital 1" Meters

L-DTUM (UREA) | L-DTFM (Diesel) • L-DTUM suitable for UREA/DEF

- and water • L-DTFM suitable for diesel and kerosene
- Flow range: 10-100LPM
- Suitable for diesel and kerosene
- Inlet/Outlet: 1"BSP(F)
- Maximum operating pressure: 72psi (5bar)
- 5-digit resettable totaliser
- 7-digit non-resettable totaliser
- No spare parts available

\$51000





DM100-01

\$33400

Mechanical

Diesel Meter

• Flow range 20 - 120LPM

• Inlet/Outlet - 1" BSP (F)

• 4-digit resettable total

Nutating disc

· Suitable for diesel, kerosene and light oils

• Maximum working pressure 50psi (3.5bar)

• Flow range between 3 - 80L/min

FUEL

- Operating pressure up to 345 kPa (50 psi)
- Accuracy +/- 1.0% of reading
- Fitted with 1" BSP(F) inlet/outlet
- Mechanical display with push-button reset batch total



0000

\$1,499⁰⁰

240V Diesel Mini Bowser - 60LPM

AMB60L

- Suitable for Diesel use only
- 30 minute duty cycle
- 4m x 1" delivery hose with automatic nozzle
- 1" x 2m suction hose
- 4-digit reset total
- 8-digit accumulative total





240V Auto Mini Bowser

L-HMBA240V

- Flow rate up to 80LPM (free flow)
- Suitable for diesel & kerosene
- Nozzle holder in cabinet with built-in on/off switch
- No spare parts available







RAPIDFLO™ Rotary Fuel Pump

- High-flow transfer of diesel, ULP, aviation fuels, kerosene and light oils (up to SAF 30) and ethanol • Delivers up to 100L/min (in both directions)
- Suits both 60 and 205L drums via sliding bung adaptor







L-DDP19 L-DDP25 \$821^{cq}

I-DDP19



\$54400

LITERSTROKE™ Lever Action Fuel Pump

- The LITRESTROKE[™] is a hand operated, lever action piston pump designed for quick, effortless dispensing of diesel, kerosene, ULP/ gasoline and light oils (up to SAE30) from 205L (44GAL) drums or tanks
- Delivers 1L per stroke (Up to 40L/min)
- Built-in nozzle holder to prevent spillage



\$30500



Rotary Vane Pump

- Suits both 205 & 60L drums via sliding bung adaptor
- Suitable for pumping diesel, kerosene and oils up to SAF90
- Delivers up to 20L/min (in both directions)
- Supplied with 1.8m delivery hose & standard nozzle
- In-built nozzle holder prevents siphoning



Rotary Vane Fuel Pump with hose

- Delivers up to 20LPM (250ml per rev)
- Suitable for diesel, kerosene and mineral oils up to SAE 90
- Rotary vane pump 3 niece suction tube
- 2" sliding bung adapter
- 1.8m long delivery hose with delivery nozzle
- No spare parts available



Fuel Pump

L-BLPH

- Flow rate up to 100LPM
- Suitable for diesel, kerosene and light viscosity oils up to SAE 30
- Pump in both directions • Fits 60 - 205L containers
- 60 mesh strainer
- No spare parts available
- 2m x 1" i.d. delivery hose





• L-ANHF Flow rate: 120LPM

- L-FNADP Flow rate: 60LPM
- L-ANHF inlet: 1" BSP (F) • L-FNADP inlet: 3/4" BSPP (F)
- No spare parts available



FUEL KITS



\$1,05000 240V UREA/DEF IBC Dispensing Kit

AUP240

- Flow rate up to 40LPM
- Suitable for Urea/DEF and water
- Best suitable for IBC tanks
- 3/4" x 8m delivery/suction hose (cut to suit length)



12V Wall Mount Diesel Pump Kit

AHFP12A

- Flow rate: 60 LPM (free flow)
- Suitable for diesel only
- 30 minute duty cycle
- 4m delivery hoseInlet/outlet: 1"
- 2 MONTH





L-FPA12V

- Supplied with 12V pump unit, 2m power cable with alligator clips, delivery/suction hose (cut to suit length), delivery nozzle and fittings
- Flow range: 40LPM (11GAL/min)
- Inlet/Outlet: 3/4" BSP(F)
- No spare parts available



AFP12A \$560°° AFP12M \$539°°

AFP24A \$560° AFP24M \$539°

ARS AUGHT AANTY:

Electric
24V

Macnaught Diesel Electric Pump Kit - 12V and 24V

AFP12A (12V automatic nozzle) AFP12M (12V manual nozzle) AFP24A (24V automatic nozzle) AFP24M (24V manual nozzle)

- Flow rate up to 40 LPM
- Suitable for diesel only
- 30 minute duty cycle
- 4m delivery hose
- Inlet/outlet: 3/4"







AHFP85L-12A

- Flow rate: 85 LPM (free flow)
- Suitable for diesel only
- 30 minute duty cycle4m delivery hose
- Inlet/outlet: 1"







L-HFFPA12V

- Flow range: 56LPM (15GAL/min)
- Voltage: 12V
- Inlet/Outlet: 1" BSP(F)
- Suitable for diesel/kerosene only
- No spare parts available

FUEL KITS



\$1,234⁰⁰

240V High Flow Diesel Pump Kit - 150LPM

AHFP150LPM

- Flow range: 150LPM
- Power: 240V
- Max current draw: 4.1A with IP55 motor protection
- Duty cycle: 30 min





Macnaught Poly Tank Kits

- 12V Electric Diesel pump kit
- Built-in suction hose
- Flow Rate: 40LPM
- Automatic nozzle (AFP12A)
- 3 point security (lockable lid, nozzle and fill cap)
- Bucket strainer
- 3/4" x 4m delivery hose
- Earthing cable
- Moulded carry handles



Product Name	Part number	Dimensions	Price
Mini Diesel Tank Kit - 100L	MDT100L	800L x 680W x 465H	\$1,205.00
Poly Diesel Tank Kit - 200L	MDT200L	800L x 680W x 710H	\$1,315.00
Poly Diesel Tank Kit - 300L	MDT300L	1290L x 600W x 770H	\$1,529.00
Poly Diesel Tank Kit - 400L	MDT400L	1150L x 820w x 780H	\$1,645.00
Poly Diesel Tank Kit - 600L	MDT600L	1700L x 880W x 740H	\$1,865.00
Mammoth Diesel Tank Kit - 1000L	MDT1000L	1700L x 1000W x 1025H	\$3,185.00



FLUID EXTRACTION



4 Way Evacuation Valves BSP inlet/outlet


M4WV19 (3/4" BSP) M4WV25 (1" BSP) M4WV38 (1 1/2" BSP)


TECHNICAL SPECIFICATIONS

- Max Working Pressure 200psi (14bar)
- Mounting Hole thread size M8x1.25
- Dimensions 105mm x 105mm x 90mm
- Weight 1 kg (2.2lbs)

FEATURES & BENEFITS

- Easy operation for the transfer of fluid
- Four pre-drilled mounting holes M8x1.25 for easy installation
- Reverse flow controlled by just repositioning the handle to the desired requirement
- Single pump for both the operations (dis charge and extraction of fluid)
- No flow restriction for pressure or volume loss during the flow in either direction







FLUID EXTRACTION









6L Pneumatic & Manual Oil Extractor

- Large Polypropylene tank to hold up to 6L of oil at max temperature of 100°C
- Working pressure: 90psi
- Air inlet size: 1/4" NPT
- Integrated pressure relief switch for safe pressure release
- No spare parts available



Gravity Waste Oil Drainer

- Tank capacity: 90L
- Draining oil velocity: 1.8 3 LPM using
- Oil Draining Pressure: 1 bar
- Height & reach: 1.65m (5ft) collapsed extends to 1.85m (6ft)
- Teflon oil injector needle for a max of oil temperatures of 120°C
- No spare parts available





Truck Waste Oil Drainers

L-TOD110P (110L) | L-TOD95 (95L)

- Large catchment area to minimise workshop floor spills
- 4 Wheel trolley design is sturdy yet easy to move
- Quick evacuation by pump or gravity from easy access drain plug
- Low level oil drainer with swivel castors for easy movement
- Anti-splash screen which can be used as a support for draining oil filters
- Solid steel construction
- No spare parts available





OIL EQUIPMENT

BOP PLATFORM 2 YEARS MACHAGINGHT WARRANTY



Product Name	Contents	Product Code	Weight	Width	Length	Height
BOP20 20L Starter Kit	Pump Stem, Powerhead, Hose & Gun assembly, battery pack and charger.	BP20S-OLA	4.75kg	495mm	342mm	115mm
BOP20 20L Pump Stem Kit	Pump Stem, Hose & Gun assembly	BP20X-OLA	1.46kg	460mm	170mm	105mm
BOP20 ATF 20L Pump Stem Kit	ATF Pump Stem, Hose & Gun assembly	BP20X-ALA	1.46kg	460mm	170mm	105mm
BOP60 60L Starter Kit	Pump Stem, Powerhead, Hose & Gun assembly, battery pack and charger.	BP60S-OLA	5.28kg	730mm	342mm	115mm
BOP60 60L Pump Stem Kit	Pump Stem, Hose & Gun assembly	BP60X-OLA	1.64kg	686mm	170mm	115mm
BOP60 ATF 60L Pump Stem Kit	ATF Pump Stem, Hose & Gun assembly	BP60X-ALA	1.64kg	686mm	170mm	115mm
Powerhead	Battery Operated Powerhead to suit Pump Stem	BP20-PH	1.34kg	185mm	145mm	107mm
Battery	18V/2.0Ah Rechargeable Battery	BPB-20AH	0.44kg	82mm	152mm	60mm
Charger	Charger suited for 2.0Ah Battery	BPC-A	0.53kg	150mm	170mm	75mm





BOP60 BOP60 Pump Stem Kit (BP60X-OLA) BATTERY OPERATED PUMP BOP60 Starter Kit (BP60S-OLA) \$4.9900

OIL EQUIPMENT



For more information on the BOP product range, please visit: www.macnaughtbop.com.au

\$14900

Battery Operated Pump Expansion Kit 20L - Oil

BP20X-OLA

- On demand flow control
- Lubricant range SAE 0W40 to 75W90 Adaptors to suit most 20L
- drums
- Drum size Nominal 15-25L
- Delivery rate Up to 3.5L/min

Starter Kit BP20S-OLA also available

\$16900

Battery Operated Pump Expansion Kit 20L - ATF

BP20X-ALA

- On demand flow control
- Lubricant range ATF
- Adaptors to suit most 20L drums
- Drum size Nominal 15-25L
- Delivery rate Up to 4.5L/min

\$8500

Battery Operated Pump 2.0Ah Battery

BPB-20AH

- Battery 18V 2.0Ah Li-Ion
- 1hr fast charge using the BPC-A BOP



\$16900

Battery Operated Pump Expansion

Kit 60L - Oil

BP60X-OLA

- On demand flow control
- Lubricant range SAE 0W40 to 75W90
- Drum size Nominal 55-65L
- Delivery rate Up to 3.5L/min Starter Kit BP60S-OLA also available

\$19900 **Battery Operated**

Pump Expansion Kit 60L - ATF

BP60X-ALA

- On demand flow control
- Lubricant range ATF
- Drum size Nominal 55-65L
- Delivery rate Up to 4.5L/min

\$32900

Battery Operated Pump Modular Powerhead

BP20-PH

 Universal Powerhead suitable across all BOP product range (both 20L and 60L)



Macnaught

OIL EQUIPMENT



- Wetted components Aluminium, steel.
- viton, delrin and zinc • Compatible fluids - kerosene, two stroke
- mix, lubricating oils up to SAE140 • Pump output: 100ml/stroke
- 1.8m rubber/nitrile delivery hose
- Compatible with most drum sizes from 15-25L



- viscosity
- Used for engine, gear, transmission, hydraulic oils and pre-mixed engine coolants
- Delivers up to 75ml per stroke, viscosity dependant
- Suits between 20L 25L drums via suction tube extender







L-BDP205L

Drum Pump

- Flow rate up to 28LPM
- Suitable for diesel, Urea/DEF, water, kerosene. agriculture chemicals and light oils up to SAE10
- 19.2V 1.5Ah Li-ion battery
- Convenient on/off switch with LED indicator
- 2m delivery hose







Spring Loaded 60L ATF/GearOil Pump

- Easy to use- Single-handed operation • Easy to use- Single-handed operation
- Delivers up to 340ml per stroke

Spring Loaded 20L

ATF/GearOil Pump

L-SOP20

- Suitable for oils up to SAE140 viscosity
- Spring pump provides automatic dispensing of engine and gear oils from 20L drums
- No spare parts available

- Delivers up to 500ml per stroke
- Suitable for oils up to SAE140 viscosity
- Spring pump provides automatic dispensing of engine and gear oils from 60L drums
- No spare parts available

\$1,004⁰⁰ R-SERIES 3:1 **T-SERIES 3:1 Air Operated Drum Pump Air Operated Drum Pump**

Oil Control Gun Electronic Flexible Ext

Flow rate up to 30LPM

• 1/2" BSP(M) inlet swivel

• Suitable for oils up to SAE 140

• Flexible extension with non-drip

automatic nozzle & locking trigger

HG20R-012E-01 rigid extension also available

• Switchable from batch and total displays

Accuracy up to +/- 0.5% of reading

• Max pressure: 1,000psi (6,900kPa)

HG20F-012E-01

- 3:1 ratio pump for medium flow / larger distances
- Free flow delivery up to 23L/min (viscosity dependant)

OIL EQUIPMENT

- Supplied with airline lubricator & 2" bung adaptor
- Suitable for oils to SAE140 viscosity, coolants, kerosene, diesel

\$1,09900







T312THGE-01

- Estimated max flow rate 8L/min using SAE10 oil
- Suitable for oils to SAE140, coolants, kerosene, diesel
- 3:1 ratio air-operated drum oil pump (T312T-01)
- 3m x 1/2" i.d. oil delivery hose
- HG20R-012E-01 metered nozzle supplied







High Flow Oil Control Guns

L-HFOG (Flex Extension w/ Auto nozzle) L-DHFOG (Rigid Extension w/ Manual nozzle and digital meter)

- Ergonomic design & high working pressure
- 3/4"BSP(F) inlet
- Flow rate up to 80LPM
- Max pressure up to 725psi (5,000kPa)
- No spare parts available

Digital Oil Control Guns

L-DOGFA (Flex Extension w/ Auto nozzle and digital meter) L-DOGRM (Rigid Extension w/ Manual nozzle

and digital meter)

- Ergonomic design & high working pressure
- 1/2"BSP(F) inlet
- Flow rate up to 35LPM
- Max pressure up to 725psi (5,000kPa)
- No spare parts available





Air Operated Oil Drum Pump 3:1

Transfer Pump

• Inlet/Outlet: 1" BSP (F)

built-in by-pass valve

Maximum pressure: 145psi

• No spare parts available

• Flow rate up to 40LPM (free flow)

• Maximum viscosity SAE140 @ 20°C

• Self-priming rotary gear pump, equipped with a

L-OTP240V

L-ARPD3

- Suitable for oils or anti-freeze up to SAE 130 viscosity
- Output up to 14LPM viscosity dependent • Min/Max air pressure: 30/150psi
- Air inlet: 1/4" BSP(F)
- Pump outlet: 1/2" BSP(F)







L-DOM35-01

- Inlet/outlet: 1/2" BSP (F)
- Flow range: 1-35LPM
- Accuracy: +/- 0.5%
- Max pressure up to 1,500psi (10,000kPa)
- No spare parts available





- Drum Dolly designed for transferring or stowing 205L or 180Kgs drums around the workshop facility, production floors or warehouse
- Heavy Duty Steel
- Quality steel fitted with robust castors which can smoothly wheel around 360 degrees





- 1/2" BSP (F) inlet swivel • Flow rates up to 30LPM
- Continuous flow switch
- Max pressure up to 1,000psi (6,900kPa)
- No spare parts available



L-OGFA (Flex Extension w/ Auto nozzle) L-OGRM (Rigid Extension w/ Manual nozzle)

- Ergonomic design & high working pressure
- 1/2"BSP(F) inlet
- Flow rate up to 35LPM
- Max pressure up to 1450psi (10,000kPa)
- No spare parts available



L-DPOCG

- Presettable auto shut-off gun with totaliser & batch counters
- 1/2"BSP(F) inlet swivel
- Flow range: 1-35LPM
- Max pressure up to 1,000psi (6,900kPa)
- Digital meter: 5 digit easy to read LCD display
- Accuracy: +/- 0.5% • No spare parts available



OIL EQUIPMENT KITS

F-SERIES METAL REELS





Oil Dispensing System 5:1 R-SERIES Pump &

Metered Gun

- The heavy-duty R-SERIES pump delivers a kit that can be top-mounted on IBC's yet also handle a wide range of service fluids in most conditions.
- Solid hot-dip galvanised base frame
- R500S-01 heavy-duty air-operated oil pump

3:1 Ratio Oil Pump w/ hose

& Premium Digital Oil Gun

• This kit allows direct dispensing from drum (205L/

Suitable for oils and fluids up to SAE 140 viscosity

• Delivery output up to 14LPM viscosity dependent

3m x 12.5mm delivery hose, Premium Digital oil

Outlet Hose Length - 3m (10ft) x 12.5mm 1/2"

• Kit supplied with 3:1 ratio pump with bung adaptor,

control gun with Automatic Nozzle and drum bung

L-ARPD3-KIT5

44 GAL drum)

- Heavy-duty, twin-pedestal oil reel 15m x 1/2" hose
- HG20F-012E-01 metered oil control gun & holster *All Australian made product except reel









- Heavy-duty trolley based oil dispense system for 205L oil drums for workshops or dealerships.
- TR205 drum trollev
- HG20R-012E-01 metered oil control gun
- OMP415B Retracta® oil reel 15m hose

3:1 Ratio Oil Pump w/ hose

This kit allows direct dispensing from drum

• Suitable for oils and fluids up to SAE 140

• Delivery output up to 14LPM, dependant on viscosity

• Kit supplied with 3:1 ratio pump with bung adaptor,

• 3m x 12.5mm delivery hose, Metered oil control gun,

TR205 - 205L Drum Trolley and Drum bung wrench

• Outlet Hose Length - 3m (10'ft) x 12.5mm 1/2"

(205L/44 GAL drum)

(Aluminium - 2"-3/4")

• No spare parts available

• Note: Air lubricator supplied

& Premium Digital Oil Gun

- R300S-01 air-operated oil pump
- All necessary fittings and hoses
- *All Australian made product except TR205 Trolley





\$2.145⁰⁰

Retracta F-Series Twin Ped

HD Oil reel 3/4"x 15m

• Strong HD twin pedestal construction

HD Combined Bare reel

• Strong HD twin pedestal construction

Retracta F-Series Twin Ped

FHM1900-01 \$1,380⁰⁰
• Hose Capacity - 3/4"x 15m

FHO1915-01

• Hose Type - Oil

Sealed bearings

Narrow footprint

• Hose Type - Bare reel

• Pressure Rating - 2000 psi

• Hose Size - 3/4"x 15m

• Pressure Rating - 1250 psi

• Hose Size - 1"x 15m

FCD2515-01

- Hose Type Diesel
- Pressure Rating 200psi
- Strong HD cradle frame construction
- Sealed bearings
- Narrow footprint

Retracta F-Series Cradle Combined reel 1"x 15m

FCM2500-01

- Hose Capacity 1"x 15m \$1,56000
- Hose Type Bare reel
- Pressure Rating 750psi
- Strong HD cradle frame construction
- Sealed bearings
- Suitable for oil, diesel, air and water

Retracta F-Series Cradle Water reel 1"x 15m

FCW2515-01

- Hose Size 1"x 15m
- Hose Type Water
- Pressure Rating 250 psi
- Strong HD cradle frame construction
- Sealed bearings
- Narrow footprint



FHXO1215-01

- **\$3.160**⁰⁰ • Hose Size - 1/2"x 15m
- Hose Type Oil
- Pressure Rating 1250 psi
- Strong HD twin pedestal construction
- Digital display register with resettable total
- Includes flowmeter +/- 0.5% accuracy



FHXO1915-01

- Hose Size 3/4"x 15m
- Hose Type Oil
- Pressure Rating 1250 psi
- Strong HD twin pedestal construction
- Digital display register with resettable total
- Includes flowmeter +/- 0.5% accuracy

Retracta F-Series Cradle Diesel reel 1"x 15m

FCXD2515-01

- Hose Size 1"x 15m
- Hose Type Diesel
- Pressure Rating 200psi
- Strong HD cradle frame construction
- Digital display register with resettable total
- Includes flowmeter +/- 0.5% accuracy

Retracta F-Series Cradle Diesel reel 1-1/2"x 15m

FCD3815-02

FCD3815-02 • Hose Size - 1-1/2"x 15m
\$2,95000

- Hose Type Diesel
- Pressure rating 250psi
- Strong HD cradle frame construction
- Sealed bearings
- Narrow footprint



Retracta H-Series DEF /Urea reel "3/4 x 8m

• Hose Size - 3/4"x 8m

- Hose Type Urea/DEF/AdBlue
- Powder coated twin pedestal steel frame
- ABS drum





wrench (Aluminium 2"- 3/4")

• Note: Air lubricator supplied

No spare parts available





R3-SERIES HOSE REELS

Introducing RetractaFLEX The NEW revolutionary hybrid polymer hose from Retracta **BONUS RETRACTA® TAPE MEASURE INSIDE BOX (available while stocks last)**

NEW

PRODUCT

ALERT

PRODUCT

ALERT



RY320B-01

- Hose Size 3/8" x 20m • Hose Type - Compressed Air
- Inlet-3/8" BSPF
- Outlet 1/4" BSPT M
- Pressure Rating 300 psi
- Max Temperature 60°C
- Hose Material Retracta FLEX Hybrid Polymer
- Also available in Dark Grey case RY320D-01





RY420D-01

- Hose Size 1/2" x 20m
- Hose Type Compressed Air
- Inlet-3/8" BSPF
- Outlet 3/8" BSPT M
- Pressure Rating 300 psi
- Max Temperature 60°C
- Hose Material Retracta FLEX Hybrid Polymer
- Also available in Blue case RY420B-01







RetractaFLEX Air Reel 3/8" x 20m

RO320B-01

- Hose Size 3/8" x 20m
- Hose Type Compressed Air
- Inlet-3/8" BSPF
- Outlet 1/4" BSPT M
- Pressure Rating 300 psi
- Max Temperature 60°C

RetractaFLEX

• Hose Size - 1/2" x 20m

• Outlet - 3/8" BSPT M

• Pressure Rating - 300 psi

• Max Temperature - 60°C

• Hose Material - Retracta FLEX Hybrid Polymer

Also available in Blue case RO420B-01

RO420D-01

• Inlet- 3/8" BSPF

Air Reel 1/2" x 20m

• Hose Type - Compressed Air

• Hose Material - Retracta FLEX Hybrid Polymer Also available in Dark Grey case R0320D-01

NEW **ALERT**

PRODUCT

PRODUCT

- - Hose Size 1/2"x 18m • Hose Type - Water

RetractaFLEX

- Inlet Ind Garden

DR418G-03

• Outlet - Ind Garden Horticultural Water

Water Reel 1/2" x 18m

- Pressure Rating 150 psi
- Hose Material RetractaFLEX Hybrid Polymer
- 4 way trigger nozzle included









RetractaFLEX Water Reel 1/2" x 18m

DR418P-03

- Hose Size 1/2"x 18m
- Hose Type Water
- Inlet Ind Garden
- Outlet Ind Garden Horticultural Water
- Pressure Rating 150 psi
- Hose Material RetractaFLEX Hybrid Polymer
- 4 way trigger nozzle included



SPECIALISED HOSE REELS

\$500⁰⁰ HW415R-01

R3 Series Hot Wash Reels

HW415R-01 (1/2" x 15m) HW420R-01 (1/2" x 20m)

- Hose Type Hot Water
- Inlet/Outlet 1/2"/1/2" BSP
- Pressure Rating 150 psi
- Hose Material HT chem resistant PVC
- Temperature rating maximum 85°C









R3 Air/Water FRAS Reel 1/2" x 15m

FRAS415D-01

- Hose Size 1/2" x 15m
- Hose Type Compressed Air / Water
- Inlet- 1/2" BSPF
- Outlet 1/2" BSPT M
- Pressure Rating 300 psi
- Max Temperature 60°C
- Hose Material Reinforced PVC (F.R.A.S.)







R3 Argon Reel 5mm x 20m

ARG220D-04

- Hose Size 5mm x 20m
- Hose Type Argon • Inlet- UNF Gas Thread
- Outlet UNF Gas Thread
- Pressure Rating 200 psi
- Max Temperature 75°C
- Hose Material Reinforced Rubber (AS1335)







R3 LPG Reel 5mm x 20m

LPG220K-04

Hose Size - 5mm x 20m

Hose Type - Propane Inlet- UNF Gas Thread Outlet - UNF Gas Thread Pressure Rating - 200 psi

Max Temperature - 75°C

Hose Material - Reinforced Rubber (AS1335)

NEW PRODUCT **ALERT**

NEW

PRODUC₁

ALERT

PRODUCT

ALERT



AIR / WATER / OIL / GREASE / DIESEL /

METAL HOSE REELS

METAL HOSE REELS

ALL NEW TO LUBEMATE

PRICE

\$409.00

\$479.00

\$575.00

\$579.00

\$619.00



Single Pedestal Metal Hose Reels

- Heavy Duty Steel Frame designed for heavy duty applications
- Corrosion resistent powder-coated body
- Long-lasting spring fully enclosed and lubricated
- Flexible positioning of guide arm for mounting on bench, ceiling, or wall

PRODUCT CODE L-AWS1015 - Air/Water L-AWS1215 - Air/Water L-0S1215 - Oil

L-GS0615 - Grease L-GS1015 - Grease



NEW

lubemate by macnaught



Twin Pedestal Metal Hose Reels

- Heavy Duty Steel Frame designed for heavy duty applications
- Corrosion resistent powder-coated body
- Long-lasting spring fully enclosed and lubricated
- Flexible positioning of guide arm for mounting on bench, ceiling, wall or service truck

PRODUCT CODE
L-AWTP1015 - Air/Water
L-AWTP1215 - Air/Water
L-OTP1215 - Oil
L-GTP0615 - Grease

L-GTP1015 - Grease

PRICE \$519.00 \$629.00 \$689.00 \$739.00 \$769.00





Heavy Duty Metal Hose Reels

- Heavy Duty Steel Frame designed for heavy duty applications
- Corrosion resistent powder-coated body
- Long-lasting spring fully enclosed and lubricated
- Flexible positioning of guide arm for mounting on bench, ceiling, wall or service truck

PRODUCT CODE PRICE
L-OTP1920 - Oil \$1.089

L-AWTP1920- Air/Water \$1,060 L-DTP2515 - Diesel/Air/Water \$1,099



NEW

LS SERIES SINGLE PEDESTAL HOSE REELS

LT SERIES TWIN	PEDESTAL	HOSE	REELS

LH SERIES HEAVY DUTY HOSE REELS

PARTS NO:	L-AWS1015	L-AWS1215	L-0S1215	L-GS0615	L-GS1015	L-AWTP1015	L-AWTP1215	L-0TP1215	L-GTP0615	L-GTP1015	L-0TP1920	L-AWTP1920	L-DTP2515
Reel Type	Air/Water	Air/Water	Oil	Grease	Grease	Air/Water	Air/Water	Oil	Grease	Grease	Oil	Air/Water	Diesel, Air, Water
Hose ID	10mm (3/8")	12.5mm (1/2")	12.5mm (1/2")	6mm (1/4")	10mm (3/8")	10mm (3/8")	12.5mm (1/2")	12.5mm (1/2")	6mm (1/4")	10mm (3/8")	19mm (3/4")	19mm (3/4")	25mm (1")
Hose Length	15m	15m	15m	15m	15m	15m	15m	15m	15m	15m	20m	20m	15m
Working Pressure	290psi	290psi	2320psi	5800psi	5000psi	290psi	290psi	2300psi	5800psi	5000psi	1500psi	290psi	290psi
Hose Material	NBR Rubber	NBR Rubber	SAE R1 Wire Braid	SAE R2 Wire Braid	SAE R2 Wire Braid	NBR Rubber	NBR Rubber	SAE R1 Wire Braid	SAE R2 Wire Braid	SAE R2 Wire Braid	SAE R1 Wire Braid	NBR Rubber	NBR Rubber
Max Working Temp.	80°	80°	100°	100°	100°	80°	80°	100°	100°	100°	100°	80°	80°
Reel Inlet	3/8" BSPT (F)	1/2" BSPT (F)	1/2" BSPT (F)	1/4" BSPT (F)	3/8" BSPT (F)	3/8" BSPT (M)	1/2" BSPT (M)	1/2" BSPT (M)	1/4" BSPT (M)	3/8" BSPT (M)	3/4" BSPT (F)	3/4" BSPT (F)	1" BSPT (F)
Hose Outlet	3/8" BSPT (M)	1/2" BSPT (M)	1/2" BSPT (M)	1/4" BSPT (M)	3/8" BSPT (M)	3/8" BSPT (M)	1/2" BSPT (M)	1/2" BSPT (M)	1/4" BSPT (M)	3/8" BSPT (M)	3/4" BSPT (M)	3/4" BSPT (M)	1" BSPT (M)
Height (mm)	513	513	513	513	513	502	502	502	502	502	677.5	677.5	677.5
Width (mm)	216	216	216	216	216	216	216	216	216	216	384.5	384.5	384.5
Length (mm)	443.5	443.5	443.5	443.5	443.5	443.5	443.5	443.5	443.5	443.5	660	660	660

K45-01

K53-01

KY-10

LEVERGUN - 450G

POWER PISTOL 450G

KY SUPER GRIP Coupler - 10pk



PRODUCT CODE	PRODUCT NAME & DESCRIPTION	PAGE NO.	PRICE (incGST)	PRODUCT CODE	PRODUCT NAME & DESCRIPTION	PAGE NO.	PRICE (incGST)	PRODUCT CODE	PRODUCT NAME & DESCRIPTION	PAGE NO.	PRICE (incGST)
AFP12A	12V Electric Diesel Pump Kit - Automatic Nozzle	8	\$560.00	KY-50	KY SUPER GRIP Coupler - 50pk	3	\$785.00	L-OS1215	Single Ped. Hose Reel - Oil 12.5mmx 15ml		\$575.00
AFP12M	12V Electric Diesel Pump Kit - Manual Nozzle	8	\$539.00	KYPLUS-01	KYPLUS Grease Coupler BSP	3	\$43.00	L-OTP1215	Twin Ped. Hose Reel- Oil 12.5mm x 15ml	20	\$689.00
AFP24A	24V Electric Diesel Pump Kit - Automatic Nozzle	8	\$560.00	KYPLUS-02	KYPLUS Grease Coupler NPT	3	\$43.00	L-OTP1920	Heavy Duty Hose Reel - Oil 119mm x 20ml	21	\$1,089.00
AFP24M	z24V Electric Diesel Pump Kit - Manual Nozzle	8	\$539.00	KYPLUS-03	KYPLUS Grease Coupler M10x1	3	\$43.00	L-OTP240V	240V Oil Transfer Pump	14	\$1,049.00
AHFP12A	12V Wall Mount Diesel Pump Kit	8	\$1,234.00	L-ANHF	Hi-Flo Fuel Nozzle with Auto Latch	7	\$159.00	LPG220K-04	Retracta R3 LPG / Propane Hose Reel	19	\$539.00
AHFP150LPM	240V High Flow Diesel Pump Kit - 150LPM	9	\$1,234.00	L-ARPD3	3:1 Ratio Oil Pump - Drum/205L	14	\$549.00	L-PG450PV	Pistol Grip Grease Gun - 450g	2	\$65.00
AHFP85L-12A	12V Electric Diesel Pump Kit - 85LPM	8	\$1,189.00	L-ARPD3-KIT5	L-ARPD3 with hose, premium digital oil gun & drum wrench	16	\$769.00	L-QRC	QRC - Quick Release Grease Coupler - BSP	3	\$29.00
AMB60L	240V Diesel Mini Bowser - 60LPM	7	\$1,499.00	L-ARPT-1	L-ARPD3 with hose, digital oil gun & 205L drum trolley	16	\$1,479.00	L-QRC-02	QRC - Quick Release Grease Coupler - NPT	3	\$29.00
AMFM	1" Mechanical diesel fuel meter	7	\$334.00	L-AWS1015	Single Ped. Hose Reel - Air/Water I10mmx15ml	20	\$409.00	L-QRC-03	QRC - Quick Release Grease Coupler - M10x1	3	\$29.00
ARG220D-04	Retracta R3 Argon Hose Reel	19	\$492.00	L-AWS1215	Single Ped. Hose Reel - Air/Water 112.5 mm x 15ml	20	\$479.00	L-QRCXL	QRC - Quick Release Grease Coupler - Long Nose	3	\$45.00
AUP240	240V Urea/Def Pump Kit	8	\$1,050.00	L-AWTP1015	Twin Ped. Hose Ree I -Air/Water I10mmx15ml	20	\$519.00	L-RPH	Rotary Vane Pump with Hose	7	\$109.00
B2-01	Booster Gun Assembly	3	\$175.00	L-AWTP1215	Twin Ped. Hose Reel - Air /Water 112.5m m x 15ml	20	\$629.00	L-SOP20	20L ATF/Gear Oil Pump	14	\$105.00
BP20-PH	BOP Power Head	13	\$329.00	L-AWTP1920	Heavy Duty Hose Reel - Air/Water 119mm x 20ml	12	\$1,060.00	L-SOP60	60L ATF/Gear Oil Pump	14	\$119.00
BP20S-OLA	BOP Starter Kit - 20L	1	\$439.00	L-BDP205L	19.2V Battery Drum Pump	14	\$269.00	L-TOD110P	Truck Waste Oil Drainer Premium - 110L	11	\$879.00
BP20X-ALA	BOP Pump Stem KIT- 20L - ATF	13	\$169.00	L-BG18V	Battery Grease Gun 450g - 18V	2	\$310.00	L-TOD95	Truck Waste Oil Drainer Standard - 95L	11	\$549.00
BP20X-OLA	BOP 20L Pump Stem Kit	13	\$149.00	L-BG18VLI	LI-ION Battery Grease Gun 450g - 18V	2	\$429.00	M4WV19	4 Way Evacuation Valve - 3/4"BSP	10	\$659.00
BP60S-OLA	BOP Starter Kit - 60L	13	\$499.00	L-BLPH	Bi-Lobe Pump with hose	7	\$275.00	M4WV25	4 Way Evacuation Valve - 1"BSP	10	\$715.00
BP60X-ALA	BOP Pump Stem KIT- 60L - ATF	13	\$199.00	L-DDP13	1/2"Air Operated Diaphragm Pump	6	\$662.00	M4WV38	4 Way Evacuation Valve - 1-1/2"BSP	10	\$769.00
BP60X-OLA	BOP Pump Stem Kit - 60L	13	\$169.00	L-DDP19	3/4"Air Operated Diaphragm Pump	6	\$695.00	MAOP20	20L Manual Oil Pump	14	\$49.00
BPB-20AH	BOP 2.0AH Battery	13	\$85.00	L-DDP25	1"Air Operated Diaphragm Pump	6	\$821.00	MDT1000L	Mammoth Diesel Tank Kit - 1000L	9	\$3,185.00
C7-01	Manual Oil Pump -20/25L	14	\$129.00	L-DHFOG	High Flow Digital Oil Gun with Rigid Ext & Auto Nozzle	15	\$465.00	MDT100L	Mini Diesel Tank Kit - 100L	9	\$1,205.00
DDP19	3/4" Diaphragm Pump-Alum/Poly	6	\$1,252.00	L-DOGFA	Digital Oil Control Gun with Flex Ext & Auto Nozzle	15	\$289.00	MDT200L	Poly Diesel Tank Kit - 200L	9	\$1,315.00
DDP25	1" Diaphragm Pump-Alum/Poly	6	\$1,758.00	L-DOGRM	Digital Oil Control Gun with Rigid Ext & Manual Nozzle	15	\$269.00	MDT300L	Slim Diesel Tank Kit - 300L	9	\$1,529.00
DDP38	1.5" Diaphragm Pump-Alum	6	\$2,466.00	L-DOM35-01	Digital Oil Meter - 1/2" 1500PSI	14	\$149.00	MDT400L	Poly Diesel Tank Kit - 400L	9	\$1,645.00
DM100-01	1" Mechanical Fuel Meter	7	\$510.00	L-DPOCG	Digtial Preset Oil Control Gun	15	\$519.00	MDT600L	Poly Diesel Tank Kit - 600L	9	\$1,865.00
DR418G-03	Retracta R3 Garden Water Reel - GREEN	18	\$279.00	L-DT205	205L Drum Dolley	14	\$99.00	OS100GE-01	205L Trolley Oil System	16	\$2,529.00
DR418P-03	Retracta R3 Garden Water Reel - BEIGE	18	\$279.00	L-DTFM	1" Digital Meter	6	\$279.00	OS950GE-01	IBC Oil System - with R500 Pump	16	\$3,299.00
FCD2515-01	Retracta F-Series Cradle Diesel Hose Reel	17	\$2,145.00	L-DTP2515	Heavy Duty Hose Reel - Diesel/Air /Water (25mm x 15ml)	21	\$1,099.00	P3-01C	P3 Power-Lube - 20kg Grease Kit	4	\$1,319.00
FCXD2515-01	Retracta F-Series Metered Cradle Diesel Hose Reel	17	\$4,950.00	L-DTUM	1" Digital Turbine Urea/DEF	6	\$279.00	P3-OS2	P3 Power-Lube - 20kg Trolley	4	\$1,539.00
FCD3815-02	Retracta F-Series Metered Cradle Diesel Hose Reel	17	\$2,950.00	L-FM25	Mechanical Diesel Meter - 1"	6	\$230.00	P6-01	P6 Maxi-Lube - 55kg Grease Kit	5	\$1,495.00
FCM2500-01	Retracta F-Series Cradle Bare Reel	17	\$1,560.00	L-FNADP	Auto Diesel Nozzle Premium 60LPM	7	\$99.00	P8-11	P8 Maxi-Lube - 180KG	4	\$1,649.00
FCW2515-01	Retracta F-Series Cradle Air/Water Hose Reel	17	\$2,035.00	L-FPA12V	12V Electric Fuel Pump	8	\$379.00	R300T-01	3:1 'R' Series Ration Oil Pump	15	\$1,004.00
FHM1900-01	Retracta F-Series Twin Pedestal Bare Reel	17		L-GK180	Air-Operated Grease Pump Kit - 180kg	5	\$919.00	RO320B-01	R3 Flex Air Reel 3/8" x 20 Blue	18	\$403.00
FHO1915-01	Retracta F-Series Twin Pedestal Oil Hose Reel	17	\$1,525.00	L-GK20	Air-Operated Grease Pump Kit - 20kg	5	\$619.00	RO320D-01	R3 Flex Air Reel 3/8" x 20 D Grey	18	\$403.00
FHXO1215-01	Retracta F-Series Metered Twin Pedestal Oil Hose Reel	17	\$3,160.00	L-GS0615	Single Pedestal Hose Reel - Grease 16mm x 15ml	20	\$579.00	RO420D-01	R3 Flex Air Reel 1/2" x 20 D Grey	18	\$433.00
FHXO1915-01	Retracta F-Series Metered Twin Pedestal Oil Hose Reel	17	\$3,685.00	L-GS1015	Single Pedestal Hose Reel - Grease 110mm x 15ml	20	\$619.00	RVP-01	Rotary Vane Pump - 60/205L	6	\$305.00
FRAS415D-01	Retracta R3 Air Water Reel with FRAS hose	19	\$627.00	L-GTP0615	Twin Pedestal Hose Reel - Grease 16mm x 15ml	20	\$739.00	RY320B-01	Retracta R3 Flex Air Reel 3/8" x 20 Blue	18	\$403.00
GS100-01	180KG Grease System Complete Kit	4	\$2,579.00	L-GTP1015	Twin Pedestal Hose Reel - Grease 110mm x 15ml	20	\$769.00	RY320D-01	Retracta R3 Flex Air Reel 3/8" x 20 D Grey	18	\$403.00
GT-01	Rapid-Flo Rotary Fuel Pump	6	\$633.00	L-HFFPA12V	12V High Flow Fuel Pump Kit	8	\$509.00	RY420B-01	Retracta R3 Flex Air Reel 1/2" x 20 Blue	18	\$433.00
HAB1908-01	Retracta H-Series Open AdBlue Hose Reel	17	\$1,085.00	L-HFOG	High Flow Oil Control Gun with Flex Ext Auto Nozzle	15	\$229.00	RY420D-01	Retracta R3 Flex Air Reel 1/2" x 20 D Grey	18	\$433.00
HG20F-012E-01	Control Gun with Flexible Extension & Electronic Meter	15	\$509.00	L-HMBA240V	240V Auto Mini Bowser	7	\$999.00	T312THGE-01	3:1 'T' Series Ratio Oil Pump	15	\$1,099.00
HP-01	Litre-Stroke Manual Fuel Pump	6	\$544.00	L-LG450	Lever Grease Gun - 450G	2	\$54.00				
HW415R-01	Retracta R3 Hot Water Reel	19	\$500.00	L-NP110AG	Grease Nipple Kit -110PCS - AGRICULTURE	2	\$65.00				
HW420R-01	Retracta R3 Hot Water Reel	19	\$522.00	L-OCGAE	Economy Oil Control Gun with Auto Nozzle	15	\$99.00		BAKER	Y _	
K29-01	K29 FLEXIGUN 450G - Pistol Grip	2	\$148.00	L-OCGME	Economy Oil Control Gun with Manual Nozzle	15	\$89.00	_		C	
K29-12	K29 FLEXIGUN KIT 450G - Kit bonus 450g Grease Cartridge	5	\$155.00	L-OD90	Mobile Waste Oil Drainer	11	\$909.00	_	7 7 7 8 8 8 8		1

6L Pneumatic & Manual Oil Extractor

Oil Control Gun with Flexible Ext & Auto Nozzle

Oil Control Gun with Flexible Ext & Manual Nozzle

11

15

15

\$169.00

\$149.00

\$139.00



L-OE6PM

L-OGFA

L-OGRM

\$123.00

\$373.00

\$159.00